

# LSMP-J90 [416 Nm]



i : Nominal		80			100			125			150			200			250			300		
i : Actual		7,68			9,85			12,9			14,93			20,73			24,84			29,25		
N1	Kw/Pam	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.
2800	0.18 (63)													13.7	103	1.5	11.5	123	1.45	9.4	150	1.4
	0.25 (63)							22.9	95	1.5	18.6	105	1.5	13.7	142	1.4	11.5	170	1.3	9.4	208	1.2
	0.37 (71)	35.1	82	1.5	27.7	104	1.4	22.9	126	1.4	18.6	155	1.3	13.7	211	1.2	11.5	252	1.1	9.4	308	1.05
	0.55 (71)	35.1	122	1.3	27.7	155	1.3	22.9	187	1.2	18.6	230	1.1	13.7	313	1	11.5	374	0.95	9.4	457	0.9
	0.75 (80)	35.1	167	1.2	27.7	211	1.1	22.9	256	1.05	18.6	314	1	13.7	427	0.9						
	1.1 (80)	35.1	245	1.1	27.7	310	1	22.9	375	0.9												
1400	0.12 (63)							11.4	82	1.65	9.3	100	1.6	6.5	137	1.5	5.7	163	1.4	4.7	200	1.3
	0.18 (63)	17.5	80	1.6	13.8	101	1.5	11.4	123	1.45	9.3	151	1.4	6.5	205	1.3	5.7	245	1.2	4.7	299	1.1
	0.25 (71)	17.5	111	1.5	13.8	141	1.4	11.4	170	1.3	9.3	209	1.2	6.5	285	1.1	5.7	340	1.05	4.7	416	1
	0.37 (71)	17.5	165	1.3	13.8	209	1.2	11.4	250	1.1	9.3	310	1.05	6.5	422	0.9	5.7	504	0.9			
	0.55 (80)	17.5	245	1.1	13.8	310	1	11.4	375	0.95	9.3	460	0.9									
	0.75 (80)	17.5	344	1	13.8	423	0.9															
900	0.18 (71)	11.3	125	1.5	8.9	158	1.4	7.4	191	1.3	6.0	234	1.2	4.4	319	1.1	3.7	381	1	3.0	466	0.95
	0.25 (71)	11.3	173	1.3	8.9	219	1.2	7.4	265	1.1	6.0	325	1	4.4	443	0.95	3.7	529	0.9			
	0.37 (80)	11.3	256	1.1	8.9	325	1	7.4	392	0.95	6.0	482	0.9									
	0.55 (80)	11.3	381	1	8.9	482	0.9															

N.B. LS EURODRIVE SRL si riserva il diritto di apportare senza preavviso modifiche alle caratteristiche tecniche presenti in questo catalogo.

# LSMP-JH90 [404 Nm]



i : Nominal		7,5			10			12,5			15			20			25			30			40			50			60		
i : Actual		7,68			9,85			12,9			14,93			20,73			24,84			29,25			40,85			49,81			60,53		
N1	Kw/Pam	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.	n2	M2	f.s.			
2800	0.37 (71)	364.6	9	3.4	284.3	11	3.1	217.1	15	2.9	187.5	17	2.8	135.1	24	2.4	112.7	29	2.7	95.7	34	2.3	68.5	47	1.9	56.2	58	1.7	46.3	70	1.6
	0.55 (71)	364.6	13	3	284.3	17	2.8	217.1	22	2.7	187.5	26	2.5	135.1	36	2.1	112.7	43	2.4	95.7	50	2.1	68.5	70	1.4	56.2	86	1.5	46.3	104	1.4
	0.75 (80)	364.6	18	2.8	284.3	23	2.6	217.1	30	2.4	187.5	35	2.3	135.1	49	2	112.7	58	2.2	95.7	69	1.9	68.5	96	1.5	56.2	117	1.3	46.3	142	1.2
	1.1 (80)	364.6	27	2.5	284.3	34	2.4	217.1	45	2.2	187.5	52	2.1	135.1	72	1.8	112.7	86	2	95.7	101	1.7	68.5	141	1.4	56.2	172	1.2	46.3	209	1.1
	1.5 (90)	364.6	36	2.3	284.3	46	2.2	217.1	61	2	187.5	70	1.9	135.1	98	1.6	112.7	117	1.8	95.7	138	1.5	68.5	192	1.2	56.2	234	1	46.3	285	1
	2.2 (90)	364.6	53	2.1	284.3	68	1.9	217.1	69	1.8	187.5	103	1.7	135.1	143	1.4	112.7	171	1.5	95.7	202	1.3	68.5	282	1	56.2	344	0.9			
	3 (100)	364.6	72	1.9	284.3	93	1.7	217.1	121	1.6	187.5	141	1.5	135.1	195	1.3	112.7	234	1.4	95.7	275	1.2									
4 (112)	364.6	96	1.7	284.3	124	1.6	217.1	162	1.4	187.5	187	1.3	135.1	260	1.1	112.7	312	1.2	95.7	367	1										
1400	0.25 (71)	182.3	12	3.2	142.1	15	3	108.5	20	2.8	93.8	23	2.6	67.5	33	2.3	56.4	39	2.5	47.9	46	2.2	34.3	64	1.8	28.1	78	1.6	23.1	95	1.5
	0.37 (71)	182.3	18	2.9	142.1	23	2.7	108.5	30	2.5	93.8	35	2.4	67.5	40	2	56.4	58	2.3	47.9	68	2	34.3	95	1.6	28.1	116	1.4	23.1	141	1.3
	0.55 (80)	182.3	27	2.6	142.1	34	2.4	108.5	45	2.3	93.8	52	2.1	67.5	72	1.8	56.4	86	2	47.9	101	1.7	34.3	141	1.4	28.1	172	1.2	23.1	209	1.1
	0.75 (80)	182.3	36	2.4	142.1	46	2.2	108.5	61	2.1	93.8	70	1.9	67.5	98	1.6	56.4	117	1.8	47.9	138	1.6	34.3	192	1.2	28.1	234	1.1	23.1	285	1
	1.1 (90)	182.3	53	2.1	142.1	68	2	108.5	89	1.8	93.8	103	1.7	67.5	143	1.4	56.4	171	1.6	47.9	202	1.4	34.3	282	1.1	28.1	344	0.9			
	1.5 (90)	182.3	72	1.9	142.1	93	1.8	108.5	121	1.6	93.8	141	1.5	67.5	195	1.3	56.4	234	1.4	47.9	275	1.2	34.3	385	0.9						
	2.2 (100)	182.3	106	1.7	142.1	136	1.5	108.5	178	1.4	93.8	206	1.3	67.5	286	1.1	56.4	343	1.2	47.9	404	1									
3 (100)	182.3	145	1.5	142.1	185	1.4	108.5	243	1.3	93.8	281	1.2	67.5	390	1																
4 (112)	182.3	193	1.3	142.1	247	1.2	108.5	324	1.1	93.8	375	1																			
900	0.18 (71)	117.2	13	3.2	91.4	17	2.9	69.8	23	2.8	60.3	26	2.6	43.4	36	2.2	36.2	44	2.5	30.8	51	2.2	22	72	1.8	18.1	88	1.5	14.9	106	1.4
	0.25 (71)	117.2	19	2.9	91.4	24	2.7	69.8	31	2.5	60.3	36	2.4	43.4	51	2	36.2	61	2.3	30.8	71	2	22	100	1.6	18.1	122	1.4	14.9	148	1.3
	0.37 (80)	117.2	28	2.6	91.4	36	2.4	69.8	47	2.3	60.3	54	2.1	43.4	75	1.8	36.2	90	2	30.8	106	1.7	22	148	1.4	18.1	180	1.2	14.9	219	1.1
	0.55 (80)	117.2	41	2.3	91.4	53	2.2	69.8	69	2	60.3	80	1.9	43.4	111	1.6	36.2	133	1.8	30.8	157	1.5	22	219	1.2	18.1	267	1	14.9	325	0.9
	0.75 (90)	117.2	55	2.1	91.4	72	2	69.8	94	1.8	60.3	109	1.7	43.4	152	1.4	36.2	182	1.6	30.8	214	1.3	22	299	1.1	18.1	365	0.9			
	1.1 (90)	117.2	82	1.9	91.4	106	1.7	69.8	139	1.6	60.3	160	1.5	43.4	223	1.2	36.2	267	1.3	30.8	314	1.1									
	1.5 (100)	117.2	112	1.7	91.4	144	1.5	69.8	189	1.4	60.3	218	1.2	43.4	303	1.1	36.2	363	1.2	30.8	426	1									
2.2 (112)	117.2	165	1.4	91.4	212	1.3	69.8	277	1.2	60.3	321	1.1	43.4	445	0.9																

N.B. LS EURODRIVE SRL si riserva il diritto di apportare senza preavviso modifiche alle caratteristiche tecniche presenti in questo catalogo.